

**COUNCIL**  
**14 JULY 2022**

## **REPORTS OF COMMITTEES**

### **(b) SUMMARY OF DECISIONS TAKEN BY THE PLANNING AND REGULATORY COMMITTEE**

---

#### **Applications**

1. The Committee approved the following applications subject to detailed conditions:

- Proposed replacement bridge to provide upgraded shared use pedestrian and cycle bridge access over the A38 Corridor with associated active travel improvements on land between Fordhouse Road west of the A38 and Carnforth Road east of the A38, Bromsgrove, Worcestershire
- Proposed importation of inert restoration material and extraction of sand to enable engineering operations for stability purposes and completion of site restoration at (western portion of the former) Sandy Lane Quarry, Wildmoor, Worcestershire.

2. The Committee has refused an application for Proposed sand and gravel quarry with progressive restoration using site derived and imported material to agricultural parkland, public access and nature enhancement, on land at Lea Castle Farm, Wolverley Road, Broadwaters, Kidderminster, Worcestershire.

3. Details of the above application can be found in the agenda papers for the Committee meetings held on 24 May and 5 July 2022.

**Cllr Ian Hardiman**  
**Chairman**

#### **Contact Points**

Contact Points for this report  
Simon Lewis, Committee Officer  
Tel: 01905 846621  
Email: [slewis@worcestershire.gov.uk](mailto:slewis@worcestershire.gov.uk)

#### **Background Papers**

In the opinion of the proper officer (in this case the Assistant Director for Legal and Governance) the following are the background papers relating to the subject matter of this report:

Agenda papers for the meetings of the Planning and Regulatory Committee held on 24 May and 5 July 2022.

[Agenda for Planning and Regulatory Committee on Tuesday, 24th May, 2022, 10.00 am - Worcestershire County Council \(moderngov.co.uk\)](#)

[Agenda for Planning and Regulatory Committee on Tuesday, 5th July, 2022, 10.00 am - Worcestershire County Council \(moderngov.co.uk\)](#)